





Technical information
Explosion drawing and parts list

FR217S (1700600) FR217S TRIMMER (OLD) | Version A

Pos.	Serial No.	Code	Description	Quantity
1		1199237	WRENCH 19 mm	1
2		1204003	BEARING HOLDER	1
3		1210019	BALL BEARING 607 Z	1
4		1222023	COLLET NUT	1
5		1222024	SHORT COLLET D.8	1
6		1288012	RETAINING RING SW-15	1
7		1299238	SPANNER 11	1
8		1675032	HEX. SOCKET HD. CAP SCREW M.4X20	3
9		1680026	WASHER D.4.3X9X0.8	2
10		1702571	GUIDE R.5	1
11		1704084	WRENCH CLAMP	1
13		1719438	LABEL	1
14		1722135	HEIGHT REGULATION ECCENTRIC	1
15		1723136	PLATE	1
16		1723143	PLATE	1
17		1723460	SLIDING PLATE	1
18		1740306	CARBIDE BIT FOR RIMS R.5	1
18		1740307	CARBIDE BIT FOR RIMS R.10	1
18		1740311	CARBIDE BIT FOR RIMS R.6	1
18		1740312	CARBIDE BIT FOR RIMS R.8	1
19		1745540	BASE ASS'Y	1
20		1799100	DUST COLLECTOR PIPE INT.D.25	1
21		2015043	SWITCH	1
22		2045292	SET 2 BRUSH HOLDERS W/BRUSHES 230V	1
22		2045703	SET 2 BRUSH HOLDERS W/BRUSHES 120V	1
23		2310003	BALL BEARING 6002-ZZ	2
24		2322405	WASHER D.4.2X11X2	2
25		2323030	BEARING PROTECTOR	1
26		3504030	RUBBER PIN	2
27		3883002	WASHER AET D.4.3	1
28		4302025	CORD CLAMP	1
29		4679013	SCREW D.4X25 TX	2
30		1400051	CORD ASS'Y (120V)	1
30		5400025	CORD ASS'Y 230V (EUROPE)	1
31		5606243	FRONT HEAD (V1)	1
32		5622247	NUT	1
33		5622248	BUSHING	1
34		5651166	ARMATURE 230V	1
36		6319098	LABEL	1
37		6478001	SCREW M.4X8 PH.	3
38		7278014	SCREW M.4X8	6
39		7903071	FAN GUIDE	1



Technical information
Explosion drawing and parts list

FR217S (1700600) FR217S TRIMMER (OLD) | Version A

Pos.	Serial No.	Code	Description	Quantity
40		8002043	CORD ARMOR	1
41		8204077	SLEEVE	1
42		8204078	SLEEVE	1
43		9202451	COVER	1
44		9202453	RIGHT COVER	1
45		9202454	LEFT COVER	1
46		9202455	TIE ROD	1
47		9202456	HOUSING	1
48		9202458	PUSH BUTTON	1
49		9202520	CLAMP	1
50		9217035	CARBON BRUSHES SET	1
51		9226155	BRUSH SPRING	2
52		9246891	ELECTRONIC CIRCUIT 230V ASS'Y	1
53		9255162	STATOR 230V	1
54		9268299	CAPACITOR	1
55		9279018	SCREW D.4X40 (TX)	3
56		9279019	SCREW D.4X35 (TX)	4
57		9299249	ALLEN KEY 3 mm	1